


Summary of Key Findings ROUND 15: January/February 2019 DATE OF PUBLICATION: 26 March 2019




DISPLACEMENT TRACKING MATRIX (DTM) AFAR REGION, ETHIOPIA ROUND 15: JANUARY/FEBRUARY 2019






OVERVIEW OF DISPLACEMENT AFAR REGION DTM Round 15 FROM JANUARY 1 - 31, 2018



Sources: IOM Map production date: 21 Feb 2019
This map is for illustration purposes only.
Names and boundaries on this map do not
imply official endorsement or acceptance by IOM.
Map Data Source: Boundary shapefile - CSA 2008

www.displacement.iom.int/ethiopia dtmethiopia@iom.int



DISPLACEMENT TRACKING MATRIX (DTM) AFAR REGION, ETHIOPIA ROUND 15: JANUARY - FEBRUARY 2019

AFAR REGION - KEY FINDINGS

displaced individuals comprising 8,980 households in 55 displacement sites were identified in Afar region. These figures represent a decrease of 1,182 individuals (-2.34%), an increase of 200 households (+2.28%) and an increase of 1 site (+1.85%) since round 14 (November/December 2018). No sites have opened since the start of 2019, 97% sites opened before 2018 and 3% opened in 2018. Drought was the primary cause of displacement for an estimated 35% of the displaced population.

DEMOGRAPHICS: 49% of displaced individuals were female and 51% were male. 58% were younger than 18 years old while 6% were over 60 years old.

SHELTER: 41 sites reported that over 25% of households were living in shelters that were below regional and cultural standards.

WASH: None of the sites meet SPHERE standards of access to over 15 liters of water per person per day. 48 displacement sites (87%) reported having no latrines.

FOOD, NUTRITION AND LIVELIHOODS: 3 sites (5%), representing 762 individuals, reported having no access to food. 89% of sites reported that IDPs did not have access to income generating activities.

HEALTH: Malaria was the primary health concern in this round of data collection with 21 sites reporting this health concern.

EDUCATION: In 20% of sites, 50% or less of the children on site are attending formal primary school. Formal primary school education is available at 89% sites. Alternative basic education (ABE) is available at 6 sites.

COMMUNICATION: 64% of sites reported that families/friends were IDPs primary source of information followed by site management at 29% of sites.

Figure 1 illustrates trends in stock totals of displacement in the region over time compared to recent displacement. Figure 2 shows IDP numbers dissagregated by cause over time.




Figure 1: Trends in stock totals of displacement and new displacements before 2018 and during 2018



Figure 2: IDPs by cause of displacement by round

^{*}All data, including graphs and maps presented in this report comprise data collected between 1 to 31 January 2019.

DISPLACEMENT TRACKING MATRIX (DTM) AFAR REGION, ETHIOPIA ROUND 15: JANUARY - FEBRUARY 2019

MOBILITY TRENDS AND CAUSE OF DISPLACEMENT

Drought has consistently been reported as the primary cause of displacement in the region (as indicated by figure 4). IDPs displaced before 2018 and during 2018 reported being displaced by drought. However, no IDPs were reported being displaced previously. Furthermore, IDPs from none of the sites were leaving their current place of displacement and neither do they intend to return to their place of origin.

Regarding the duration of sites, none of the sites identified were opened in 2019 while 3% opened between January and December 2018 and 97% of sites opened before 2018.

The majority of IDPs identified in the region were displaced to locations near their areas of origin. 97% of IDPs in the region are internally displaced from the region, within the region. Of the IDPs displaced within the region, 95% were displaced within their zone of origin.

Figure 3 shows the number of IDPs displaced by zone and cause of displacement. Figure 4 shows the distribution of IDPs by driver of displacement and time of displacement.




Figure 3: IDPs displaced by zone and cause of displacement

Duration	Conflict Induced	Climate Induced	Other	Grand Total
Before 2018	3,521	39,087	5,332	47,940
During 2018	-	1,497	-	1,497
Grand Total	3,521	40,584	5,332	49,437

Figure 4: Distribution of IDPs by cause of displacement and time of displacement



DISPLACEMENT TRACKING MATRIX (DTM) AFAR REGION, ETHIOPIA ROUND 15: JANUARY - FEBRUARY 2019

DURABLE SOLUTIONS, VULNERABILITIES AND DEMOGRAPHICS

At all of the sites, IDPs did not foresee a resolution to their displacement.

At all of sites, IDPs prefer reintegration as a durable solution to their displacement while at none of the sites, did they prefer return. None of the sites reported that IDPs prefer relocation.

Figure 5 shows the number of sites reporting various obstacles to returns, while figure 6 shows support IDPs need to return or reintegrate.




Figure 5: Number of sites reporting obstacles to return

The demographic breakdown is shown in figure 7. Individuals with specific vulnerabilities were also reported at displacement sites and are represented in figure 8.




Figure 6: Number of sites by support needed to return or reintegrate




Figure 7: Demographic breakdown

Vulnerable Population	Number of IDPs
Number of breastfeeding mothers	5,797
Elderly-headed households	3,844
Elderly persons without care givers	3,566
Number of members of ethnic minorities	0
Number of members of religious minorities	3
Orphaned children	1,639
Persons with chronic diseases/ serious medical conditions	275
Number of persons with disabilities over 18	422
Number of persons with disabilities under 18	233
Number of pregnant girls under 18	1,147
Number of pregnant women over 18	4,539
Separated children	1,411
Single female-headed households	1,054
Single male-headed households	540
Unaccompanied Children	610
Single-child headed Households	329
Grand Total	25,409

Figure 8: Vulnerable populations



ROUND 15: JANUARY - FEBRUARY 2019

Round 14 - 15 Comparison Table

INCREASE

DECREASE

NEW

NO CHANGE

UNCOVERED/CLOSED

Zone	Woreda	Displacement	ent Round 15		% change in	Round 14			
		Reason	HHs Individuals Sites		Sites	estimated # of HHs	HHs	Individuals	Sites
Awsi (Zone 1)	Afambo	Climate	1,150	6,052	3	0.00%	1,150	7,265	3
Awsi (Zone 1)	Dubti	Climate	300	1,710	1	0.00%	300	1,800	1
Awsi (Zone 1)	Elidar	Climate	285	1,494	3	0.00%	285	1,572	3
Awsi (Zone 1)	Kurri	Climate	30	153	1	0.00%	30	147	1
Awsi (Zone 1) T	otal		1,765	9,409	8	0.00%	1,765	10,784	8
Fenti (Zone 4)	Ewa	Other	508	2,902	4	0.00%	508	2,701	4
Fenti (Zone 4)	Gulina	Climat	183	977	1	0.00%	183	1,082	1
Fenti (Zone 4)	Teru	Climate	330	1,773	2	0.00%	330	1,809	2
Fenti (Zone 4)	Yalo	Other	48	274	1	0.00%	48	171	1
Fenti (Zone 4) T	otal		1,069	5,926	8	0.00%	1,069	5,763	8
Gabi (Zone 3)	Amibara	Climate	845	4,523	5	0.00%	845	4,708	5
Gabi (Zone 3)	Argoba Special	Climate	400	2,220	1	0.00%	400	2,500	1
Gabi (Zone 3)	Awash Fentale	Climate	365	1,826	1	0.00%	365	2,248	1
Gabi (Zone 3)	Dulecha	Climate	566	2,998	3	+54.64%	366	2,232	2
Gabi (Zone 3)	Galalu	Climate	500	3,980	2	0.00%	500	3,980	2
Gabi (Zone 3)	Gewane	Climate	600	3,510	1	0.00%	600	3,150	1
Gabi (Zone 3) Total			3,276	19,057	13	+6.50%	3,076	18,818	12



ROUND 15: JANUARY - FEBRUARY 2019

Round 14 - 15 Comparison Table

INCREASE

DECREASE

NEW

NO CHANGE

UNCOVERED/CLOSED

Zone	Woreda	Displacement		Round 15		% change in		Round 14	
		Reason	HHs Individuals Sites		estimated # of HHs	HHs	Individuals	Sites	
Hari (Zone 5)	Dalfagi	Climate Induced	162	819	2	0.00%	162	868	2
Hari (Zone 5)	Dalfagi	Conflict	68	340	1	0.00%	68	408	1
Hari (Zone 5)	Dewe	Conflict	266	1,388	2	0.00%	266	1,444	2
Hari (Zone 5)	Hadelela	Climate Induced	301	1,516	3	0.00%	301	1,541	3
Hari (Zone 5)	Simurobi Gele'alo	Conflict	54	197	1	0.00%	54	221	1
Hari (Zone 5)	Telalak	Other	31	158	1	0.00%	31	163	1
Hari (Zone 5) To	tal		882	4,418	10	0.00%	882	4,645	10
Kilbati (Zone 2)	Afdera	Climate	286	1,540	2	0.00%	286	1,457	2
Kilbati (Zone 2)	Berahile	Climate	62	338	1	0.00%	62	324	1
Kilbati (Zone 2)	Bidu	Climate	31	170	1	0.00%	31	150	1
Kilbati (Zone 2)	Bidu	Other	360	1,998	1	0.00%	360	2,052	1
Kilbati (Zone 2)	Dalul	Climate	500	2,541	5	0.00%	500	2,721	5
Kilbati (Zone 2)	Erebti	Climate	45	215	1	0.00%	45	230	1
Kilbati (Zone 2)	Koneba	Climate	159	770	2	0.00%	159	827	2
Kilbati (Zone 2)	Megale	Climate	265	1,459	2	0.00%	265	1,504	2
Kilbati (Zone 2)	Megale	Conflict	280	1,596	1	0.00%	280	1,344	1
Kilbati (Zone 2) Total			1,988	10,627	16	0.00%	1,988	10,609	16



ROUND 15: JANUARY - FEBRUARY 2019

Round 14 - 15 Comparison Table

INCREASE

DECREASE

NO CHANGE

UNCOVERED/CLOSED

Zone	Woreda	Displacement	Round 15			% change in	Round 14			
		Reason	HHs	Individuals	Sites	estimated # of HHs	HHs	Individuals	Sites	
Climate Induced	Climate Induced Sum		7,365	40,584	43	+2.79%	7,165	42,115	42	
Conflict Induced	d Sum		668	3,521	5	0.00%	668	3,417	5	
Other Sum		947	5,332	7	0.00%	947	5,087	7		
Grand Total		8,980	49,437	55	+2.28%	8,780	50,619	54		



DISPLACEMENT TRACKING MATRIX (DTM) AFAR REGION, ETHIOPIA ROUND 15: JANUARY - FEBRUARY 2019

ABOUT DTM

DTM GLOBAL

The Displacement Tracking Matrix (DTM) is a system to track and monitor displacement and population mobility. It is designed to regularly and systematically capture, process and disseminate information to provide a better understanding of the movements and evolving needs of displaced populations, whether on site or en route. More information is available at www.globaldtm.info.

DTM IN ETHIOPIA

In Ethiopia, data is collected at zone, woreda and site level. Since September 2016, fifteen rounds of assessments have been completed. The DTM programme is implemented in close collaboration with the National Disaster Risk Management Commission, regional, zonal and woreda counterparts and DTMs implementing partner, the Danish Refugee Council (DRC).

METHODOLOGY

IOM's DTM team composed of enumerators from IOM and DRC were deployed across the country to collect the data. The process involved the following steps:

Zone level: Interviews with key informants from

the Disaster Prevention and Preparedness Office tool based on the age range and sex of the household (DPPO), community representatives, and the education and health offices collect Information the site. including (among others) estimated caseload of displaced population, identification of woredas within the zone that host displaced populations, reason for displacement, time of arrival of IDPs and location of origin.

Woreda level: Information is collected from key woreda informants and includes (among others) estimated length of stay, number of displaced households and individuals at woreda level, displaced population by type of temporary settlements and approximate locations of identifiable displacement sites. The information is used to plan site assessments.

Site assessments: In-depth IDP site assessments capture detailed information through key informant interviews, direct observation and focus group discussions with male, female, elderly, children and IDP representatives. Data on available services by sector, accessibility constraints, exact type, location and name of the site, place of origin of IDPs, estimated size and type of the site and most common type of shelter are captured. Age and gender disaggregation for the site is extrapolated using a demographic calculator

members of 20 randomly selected households from

For more information please visit our wesite. www.displacement.iom.int. or contact us at dtmethiopia@iom.int



and Civil Protection



International Organization for Migration (IOM)

The UN Migration Agency

			ANNEX I : I	INTERNAL DISPL	ACEMENTS IN	AFAR REGION A	AS OF FEBRUA	RY 2019					
Zone	Woreda	Sex			Age Groups			Total	HHs	Site Open Date	Cause	Duration	
Zone	vvoreda	Sex	Infants (0-4 y)	Children (5-14 y)	Youth (15-17 y)	Adults (18-59 y)	Elderly (60 +y)	TOLAI	ппѕ	Site Open Date	Cause	Duration	
Awsi (Zone 1)	Afambo	Female	160	220	160	420	60	1020	400	26-Oct-15	Seasonal Flood	Before 2018	
Awsi (Zone 1)	Afambo	Male	240	220	160	420	80	1120		20 000 15	Scasonarriood	Delore 2010	
Awsi (Zone 1)	Afambo	Female	180		120	420	60	1060	400	20-May-16	Seasonal Flood	Before 2018	
Awsi (Zone 1)	Afambo	Male	180	240	160	420	100	1100		20 1410 10	Scasonarriood	Delore 2010	
Awsi (Zone 1)	Afambo	Female	88	175	122	350	35	770	350	20-Jun-16	Seasonal Flood	Before 2018	
Awsi (Zone 1)	Afambo	Male	210	193	158	368	53	982	330	20 3411 10	Scasonarriood	Before 2010	
Awsi (Zone 1)	Dubti	Female	135	240	75	330	45	825	300	13-Jan-15	Seasonal Flood	Before 2018	
Awsi (Zone 1)	Dubti	Male	255	105	135	285	105	885		13 3411 13	Scasonarriood	Before 2010	
Awsi (Zone 1)	Elidar	Female	62	57	52	95	5	271	95	20-Jan-15	Drought	Before 2018	
Awsi (Zone 1)	Elidar	Male	38	57	48	100	5	248		20-3811-13	Drought	Delote 2018	
Awsi (Zone 1)	Elidar	Female	53	68	16	116	5	258	105	18-May-15	Drought	Before 2018	
Awsi (Zone 1)	Elidar	Male	84	32	42	100	37	295	105	10-10197-13		Before 2018	
Awsi (Zone 1)	Elidar	Female	26	51	26	89	9	201	85	20-May-15	Drought	Before 2018	
Awsi (Zone 1)	Elidar	Male	51	34	34	85	17	221	- 65	20-14184-13	Drought	Delote 2018	
Awsi (Zone 1)	Kurri	Female	18	14	8	26	6	72	30	28-Sep-17	Drought	Before 2018	
Awsi (Zone 1)	Kurri	Male	18	23	11	24	5	81	30	20-3ep-17	Drought	Delote 2018	
Awsi (Zone 1) Total			1,798	2,009	1,327	3,648	627	9,409	1,765				
Fenti (Zone 4)	Ewa	Female	17	22	12	49	10	110	49	04-Jan-17	Other	Before 2018	
Fenti (Zone 4)	Ewa	Male	29	29	22	49	7	136	43	04-3811-17	Other	Delote 2018	
Fenti (Zone 4)	Ewa	Female	143	254	143	333	32	905	317	07-Apr-17	Other	Before 2018	
Fenti (Zone 4)	Ewa	Male	190	254	174	317	48	983	317	07-Apr-17	Other	Delote 2018	
Fenti (Zone 4)	Ewa	Female	61	74	62	142	14	353	142	04-Jul-17	Other	Before 2018	
Fenti (Zone 4)	Ewa	Male	76	100	69	149	21	415	142	04-341-17	Other	Delore 2018	
Fenti (Zone 4)	Gulina	Female	73	128	73	183	18	475	183	20-Nov-16	Seasonal Flood	Before 2018	
Fenti (Zone 4)	Gulina	Male	73	146	73	183	27	502	103	20-1100-10	Seasonal Flood	Belore 2018	
Fenti (Zone 4)	Teru	Female	72	135	63	189	27	486	180	15-Feb-16	Drought	Before 2018	
Fenti (Zone 4)	Teru	Male	81	135	72	180	36	504	100	12-L6N-10	Diougiit	Deloie 2016	
Fenti (Zone 4)	Teru	Female	60	83	53	150	15	361	150	10-Sep-17	Seasonal Flood	Before 2018	
Fenti (Zone 4)	Teru	Male	83	98	68	150	23	422	130	10-3eh-17	Seasonal Flood	De1016 2018	
Fenti (Zone 4)	Yalo	Female	22	31	22	48	7	130	48	40	06 Aug 17	Other	Before 2018
Fenti (Zone 4)	Yalo	Male	29	36	24	48	7	144	40	06-Aug-17	Other	De1016 2018	
Fenti (Zone 4) Total			1,009	1,525	930	2,170	292	5,926	1,069				

International Organization for Migration (IOM)

The UN Migration Agency

			ANNEX I : I	NTERNAL DISPL	ACEMENTS IN		AS OF FEBRUA	RY 2019					
					Age Groups					a: a = :			
Zone Woreda	Woreda	Sex	Infants (0-4 y)	Children (5-14 y)	Youth (15-17 y)	Adults (18-59 y)	Elderly (60 +y)	Total	HHs	Site Open Date	Cause	Duration	
Gabi (Zone 3)	Amibara	Female	202	258	147		18	993	250	10.6 15	51 1 51 1	2 6 2010	
Gabi (Zone 3)	Amibara	Male	221	239	202	386	55	1103	368	12-Sep-15	Flash Flood	Before 2018	
Gabi (Zone 3)	Amibara	Female	52	86	60	172	0	370	470	20.6 45		2 (2010	
Gabi (Zone 3)	Amibara	Male	77	69	86	163	26	421	172	30-Sep-15	Flash Flood	Before 2018	
Gabi (Zone 3)	Amibara	Female	96	128	48	144	32	448	1.50	10.0 . 15		2 (2010	
Gabi (Zone 3)	Amibara	Male	64	136	40	128	16	384	160	10-Oct-15	Flash Flood	Before 2018	
Gabi (Zone 3)	Amibara	Female	40	40	27	58	6	171		44.1 46		2 (2010	
Gabi (Zone 3)	Amibara	Male	34	34	31	58	9	166	61	11-Jan-16	Flash Flood	Before 2018	
Gabi (Zone 3)	Amibara	Female	55	55	17	76	21	224		44.0 . 47	5 1.	2 (2212	
Gabi (Zone 3)	Amibara	Male	46	84	29	80	4	243	84	11-Oct-17	Drought	Before 2018	
Gabi (Zone 3)	Argoba Special	Female	300	300	140	360	20	1120	***				
Gabi (Zone 3)	Argoba Special	Male	240	300	140	400	20	1100	400	10-Jan-12	Drought	Before 2018	
Gabi (Zone 3)	Awash Fentale	Female	219	128	164	365	18	894	265		Electrical	2 (2010	
Gabi (Zone 3)	Awash Fentale	Male	110	219	183	383	37	932	365	01-Jul-16	Flash Flood	Before 2018	
Gabi (Zone 3)	Dulecha	Female	162	257	41	243	54	757	270	00 1 17	5 1.	2 (2010	
Gabi (Zone 3)	Dulecha	Male	149	243	68	243	41	744	270	09-Jun-17	Drought	Before 2018	
Gabi (Zone 3)	Dulecha	Female	53	77	43	86	14	273					
Gabi (Zone 3)	Dulecha	Male	29	77	48	96	14	264	96	12-Jul-18	Flash Flood	During 2018	
Gabi (Zone 3)	Dulecha	Female	90	160	40	160	40	490				D :: 2010	
Gabi (Zone 3)	Dulecha	Male	90	110	80	150	40	470	200	15-Sep-18	Flash Flood	During 2018	
Gabi (Zone 3)	Galalu	Female	255	360	285	255	90	1245					
Gabi (Zone 3)	Galalu	Male	300	255	225	345	90	1215	300	13-Feb-16	Drought	Before 2018	
Gabi (Zone 3)	Galalu	Female	160	200	170	190	40	760	200		Drought		
Gabi (Zone 3)	Galalu	Male	190	190	150	190	40	760		17-Mar-16		Before 2018	
Gabi (Zone 3)	Gewane	Female	330	510	480	480	90	1890				_	
Gabi (Zone 3)	Gewane	Male	390	420	270	450	90	1620	600 25-Aug-15	25-Aug-15	Flash Flood	Before 2018	
Gabi (Zone 3) Total			3,954	4,935	3,214	6,029	925	19.057	3,276				
Hari (Zone 5)	Dalfagi	Female	27	41	17	68	7	160			-	_	
Hari (Zone 5)	Dalfagi	Male	34	44	20	68	14	180	68	05-Sep-10	Conflict	Before 2018	
Hari (Zone 5)	Dalfagi	Female	14	16	19		5	101					
Hari (Zone 5)	Dalfagi	Male	21	28	21	47	7	124	47	01-Feb-16	Drought	Before 2018	
Hari (Zone 5)	Dalfagi	Female	52	52	40	115	12	271				_	
Hari (Zone 5)	Dalfagi	Male	58	75	58	109	23	323	115	05-Oct-16	Drought	Before 2018	
Hari (Zone 5)	Dewe	Female	72	108	72		18	450				_	
Hari (Zone 5)	Dewe	Male	72	144	81	180	27	504	180	15-May-10	Conflict	Before 2018	
Hari (Zone 5)	Dewe	Female	39	47	26	86	9	207					
Hari (Zone 5)	Dewe	Male	47	47	34	86	13	227	86	09-Feb-11	Conflict	Before 2018	
Hari (Zone 5)	Hadelela	Female	58	102	44	153	22	379					
Hari (Zone 5)	Hadelela	Male	37	110	58	146	22	373	146	18-May-14	Drought	Before 2018	
Hari (Zone 5)	Hadelela	Female	34	30	23	68	19	174					
Hari (Zone 5)	Hadelela	Male	30	30	23	64	23	170	75	15-Aug-14	Drought	Before 2018	
Hari (Zone 5)	Hadelela	Female	36	36	40	76	20	208					
Hari (Zone 5)	Hadelela	Male	36	44	36		24	212	80	28-Aug-14	Drought	Before 2018	
Hari (Zone 5)	Simurobi Gele'alo	Female	14	14	11	43	14	96					
Hari (Zone 5)	Simurobi Gele'alo	Male	16	14	11	46	14	101	54	10-May-14	Conflict	Before 2018	
Hari (Zone 5)	Telalak	Female	11	16	11	31	5	74					
Hari (Zone 5)	Telalak	Male	17	19	11	31	6	84	31	08-Aug-17	Other	Before 2018	
Hari (Zone 5) Total	. Sididik	itiaic	725	1,017	656	1,716	304	4,418	882				
(Lone 3) Total			723	1,017	030	1,710	304	4,418	002				



International Organization for Migration (IOM)

The UN Migration Agency

			ANNEX I : I	NTERNAL DISPL	ACEMENTS IN	AFAR REGION A	AS OF FEBRUA	RY 2019				
_				Age Groups						a		
Zone	Woreda	Sex	Infants (0-4 y)	Children (5-14 y)	Youth (15-17 y)	Adults (18-59 y)	Elderly (60 +y)	Total	HHs	Site Open Date	Cause	Duration
Kilbati (Zone 2)	Afdera	Female	36	55	24	79	16	210	79	21-Feb-15	Drought	Defere 2019
Kilbati (Zone 2)	Afdera	Male	24	47	40	79	12	202	79	21-F60-13	Drought	Before 2018
Kilbati (Zone 2)	Afdera	Female	114	145	62	217	41	579	207	02-Mar-15	Drought	Before 2018
Kilbati (Zone 2)	Afdera	Male	52	124	104	207	62	549	207	02-Wai-15	Drought	Beiore 2016
Kilbati (Zone 2)	Berahile	Female	28	40	19	62	12	161	62	12-Jun-16	Drought	Before 2018
Kilbati (Zone 2)	Berahile	Male	25	43	25	68	16	177	02	12-Juli-10	Drought	Beiore 2016
Kilbati (Zone 2)	Bidu	Female	162	234	162	378	90	1026	360	21-Mar-14	Other	Before 2018
Kilbati (Zone 2)	Bidu	Male	126	252	144	378	72	972	300	21-IVId1-14	Other	Beiore 2016
Kilbati (Zone 2)	Bidu	Female	11	22	11	31	6	81	31	21-Apr-14	Drought	Before 2018
Kilbati (Zone 2)	Bidu	Male	12	22	14	33	8	89	31	21-Apr-14	Drought	Before 2018
Kilbati (Zone 2)	Dalul	Female	19	25	11	58	8	121	55	20 Mar 16	Flash Flood	Before 2018
Kilbati (Zone 2)	Dalul	Male	19	41	19	55	14	148	22	29-Mar-16	Flasii Floou	Before 2018
Kilbati (Zone 2)	Dalul	Female	24	27	6	61	9	127	61	31-Mar-16	Flash Flood	Before 2018
Kilbati (Zone 2)	Dalul	Male	24	40	21	67	15	167	01	31-Mai-10	Flash Flood	Before 2018
Kilbati (Zone 2)	Dalul	Female	21	35	11	70	14	151	70	16 Apr 16	Flash Flood	Defere 2010
Kilbati (Zone 2)	Dalul	Male	28	56	25	67	21	197	70	16-Apr-16	Flash Flood	Before 2018
Kilbati (Zone 2)	Dalul	Female	57	52	21	103	21	254	102	10 lun 16	Flash Flood	Defere 2010
Kilbati (Zone 2)	Dalul	Male	41	72	41	103	21	278	103	10-Jun-16	Flash Flood	Before 2018
Kilbati (Zone 2)	Dalul	Female	84	116	53	211	32	496	211	14 lun 16	Flash Flood	Defere 2010
Kilbati (Zone 2)	Dalul	Male	84	169	74	222	53	602	211	14-Jun-16	Flash Flood	Before 2018
Kilbati (Zone 2)	Erebti	Female	14	23	11	45	11	104	45	46.0446	Duningha	D-f 2010
Kilbati (Zone 2)	Erebti	Male	16	25	11	45	14	111	45	16-Mar-16	Drought	Before 2018
Kilbati (Zone 2)	Koneba	Female	35	39	14	70	11	169	70	02 1 16		D-f 2010
Kilbati (Zone 2)	Koneba	Male	28	39	14	70	18	169	70	02-Jun-16	Flash Flood	Before 2018
Kilbati (Zone 2)	Koneba	Female	40	53	22	89	13	217	00	00 1 16	Duningha	D-f 2010
Kilbati (Zone 2)	Koneba	Male	36	49	18	85	27	215	89	08-Jun-16	Drought	Before 2018
Kilbati (Zone 2)	Megale	Female	114	212	115	271	55	767	205	15 5-b 16	Duninghi	D-f 2010
Kilbati (Zone 2)	Megale	Male	121	176	84	264	47	692	265	15-Feb-16	Drought	Before 2018
Kilbati (Zone 2)	Megale	Female	112	154	126	294	70	756	200	20 Fab 47	Cfi:	D-f 2010
Kilbati (Zone 2)	Megale	Male	126	238	112	308	56	840	280	28-Feb-17	Conflict	Before 2018
Kilbati (Zone 2) Tota	al		1,633	2,625	1,414	4,090	865	10,627	1,988			
Grand Total			9,119	12,111	7,541	17,653	3,013	49,437	8,980			

<u>Disclaimer</u>: Age and gender disaggregation for the site is extrapolated using a demographic calculator tool based on the age range and sex of the household members of 20 randomly selected households from the site.

Displacement Tracking Matrix (DTM) conducted in collaboration with Danish Refugee Council (DRC)







DTM made possible thanks to the European Civil Protection and Humanitarian Aid Operations (ECHO), the Ethiopian Humanitarian Fund (EHF), the Office of United States Foreign Disaster Assistance (OFDA) and the Swiss agency for Development and Cooperation (SDC).

The opinions expressed in this report are those of the authors and do not necessarily reflect the views of the Office of United States Foreign Disaster Assistance.

